



Multi Carrier

Robust and flexible: your new trailer for transporting equipment, construction machinery or swap containers according to DIN 30722 and DIN 30720/30720-1



Container transport

Multi Carrier

The Multi Carrier is characterised by a high level of quality.

The multifunction trailer is a combination of a low-loader and transportation for swap bodies, a true multifunction talent. The multifunction talent performs countless tasks, and with its basic equipment, it can transport roller containers, palettes, pallet cages, long material, timber, trees, shrub-

long material, timber, trees, shrubbery, cars, lorries, transporters, forklifts, mini-excavators, wheel loaders as well as excavators with rubber tyres, and much more.

Two axles for roller containers

Multi Carrier with two-axle design for roller containers and machines with a technical payload of 15,000 kg.



Central axle design for roller containers

Multi Carrier with central axle design for roller containers and machines with a technical payload of 14,700 kg.

HPA 2072



Your benefits

- + Multifunction talent
- + Payload giant
- + Well-designed, user-friendly construction
- + Robust construction

HPT 2072



Your benefits

- + Highly manoeuvrable
- + Payload giant
- + Easy handling
- + Robust construction

Multi Carrier for roller and skip containers

With two- or three-axle design for roller containers and skips as well as machines. The vehicle is designed with a hitch that can be lowered for front loading.

HPA 2072 – ASK with height-adjustable drawbar device



Your benefits

- + Flexible use
- + Robust construction
- + Well-designed, user-friendly construction
- + Tested load securing

Multi Carrier modular system

The Hüffermann modular construction offers two key advantages: individual design, which is tailored exactly to your requirements and high-quality production – 100% "Made in Germany" guaranteed. Hüffermann only uses first-class vehicle components from renowned manufacturers, so their durability pays off over the course of their service life. Why not contact us? We'd love to help you.



Pre-fabricated house or roof truss transport

The Multi Carrier in plateau design is especially constructed for transporting pallets, ballast weights, crane booms or roof trusses as well as prefabricated houses. The Multi Carrier is available with a chassis length of 8,300 mm or 9,300 mm.



Multi Carrier versions

The right solution for every application





+ Robust construction + Chassis for high payload focal points

Multi Carrier versions

Special version with steel or non-slip floor



+ Flexible use



Combined load securing

The set-down troughs are fastened on the Multi Carrier with combined load securing. The skips are secured against sliding in the direction of travel and to the sides with adjustable stops. The containers are locked to the rear on the rear container mounting block with transverse lashing. The load is lashed with 2 tensioning chains, which are fastened with a special self-locking oval eye on the rear container mounting block and lashed down at a lashing angle of $35^{\circ} - 60^{\circ}$. A chain shortener makes handling easier.



Multi Carrier

The basic version of the two-axle Multi Carrier is designed for transporting roller containers and is available in four chassis lengths of 5,700 mm – 7,200 mm. The threeaxle version is available in three versions with a chassis length of up to 8,300 mm.



Load securing Centring-Fix

Hüffermann attaches great importance to flexible and quick conversion of the load securing, to avoid time-consuming adjustments when dealing with different skip containers. With the Multi Carrier, the patented Centring-Fix makes it easy to adjust the side push-locks.



Multi-functional trailers

As a standard, the multifunction trailer is designed with a storage compartment for the loading ramps



+ Flexible use




versions

Every multi-function trailer is unique, individually built from the trusted Hüffermann modular system to meet customer requirements. Four different chassis lengths are available, with two- or three-axle turntable design or central axle design.












OF



We set standards as the market-leading manufacturer, showing off our strengths with detailed solutions for complete systems.



Wilhelm Schwarzmüller GmbH

Hanzing 11 4785 Freinberg · Austria

- 🕲 +43 7713 800-0
- ☑ office@schwarzmueller.com www.schwarzmueller.com

Eltmann subsidiary

Schwarzmüller Deutschland GmbH Industriestraße 20 97483 Eltmann · Germany

🕲 +49 9522 30 449-0

☑ office.eltmann@schwarzmueller.com

Wildeshausen sales office:

Ahlhorner Straße 89 27793 Wildeshausen · Germany [⊗] +49 4431 94553-0 [→] info-vertrieb@hueffermann.de

Neustadt/Dosse plant:

Kampehler Straße 10 16845 Neustadt/Dosse · Germany [®] +49 33970 996-0 ➡ +49 33970 13216



www.hueffermann.de